Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	15375	((370/395.71) or (370/396) or (370/392) or (370/378) or (370/377) or (370/236) or (370/235) or (370/389) or (370/412) or (370/395.21) or (370/395.4) or (370/395.42) or (370/395.41) or (370/395.5) or (370/398) or (370/230) or (370/231) or (370/229) or (370/232) or (370/233) or (370/234) or (370/230.1) or (370/395.1) or (370/902) or (370/905) or (370/94.1) or (370/395) or (370/428) or (370/429) or (370/400) or (370/410) or (370/413) or (370/415) or (370/417) or (370/242) or (370/253)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:16
L3	1	L2 and (queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "discarding portion"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:16
L4	0	L2 and (queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "discarding portion" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L5	0	L2 and (differentiating NEAR3 header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and ("buffering memory" or "buffer memory") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L6	0	L2 and (differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and ("buffering memory" or "buffer memory") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L7	0	L2 and (differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17

L8	0	L2 and (differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and "memorizing" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L9	0	L2 and (differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L10	0	L2 and (differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
L11	0	L2 and (differentiating NEAR header) and "discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
L12	0	L2 and "discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
L13	21	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
L14	21	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
L15	21	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
L16	0	L2 and "discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18

L17	0	L2 and (adding NEAR "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
L18	0	L2 and (adding NEAR3 "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
L19	0	L2 and (add NEAR3 "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
L20	0	L2 and (add NEAR "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
L21	0	L2 and "differentiated NEAR signal" and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
L22	0	L2 and "differentiated NEAR3 signal" and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L23	3	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and "discarding packets" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L24	4	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and (discarding NEAR packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L25	5	L2 and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L26	2	L2 and "priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20

L27	0	L2 and (queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "cell loss portion"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L28	2	L2 and "cell loss priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
L29	3	L2 and "cell loss priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
L30	3	L2 and "cell loss priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
L31	2	L2 and "cell loss priority bit" and "queue" and "header" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
L32	3	L2 and "cell loss priority bit" and "header" and "queue" and "predetermined threshold" and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
S80	1	(queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "discarding portion"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:16
S81	0	(queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "discarding portion" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S82	0	(differentiating NEAR3 header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and ("buffering memory" or "buffer memory") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17

S83	0	(differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and ("buffering memory" or "buffer memory") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S84	0	(differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S85	0	(differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and "memorizing" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S86	0	(differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S87	0	(differentiating NEAR header) and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:17
S88	0	(differentiating NEAR header) and "discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
S89	0	"discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
S90	59	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
S91	57	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
S92	59	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18

S93	0	"discard priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:18
S94	0	(adding NEAR "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S95	0	(adding NEAR3 "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S96	0	(add NEAR3 "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S97	0	(add NEAR "priority bit") and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S98	0	"differentiated NEAR signal" and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S99	0	"differentiated NEAR3 signal" and "priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:19
S100	4	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and "discarding packets" and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
S101	5	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and (discarding NEAR packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
S102	6	"priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20

S10 3	2	"priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
S10 4	0	(queue or "transmission queue") and "differentiating portion" and "adding portion" and ("buffering memory" or "buffer memory") and "cell loss portion"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
S10 5	4	"cell loss priority bit" and "queue" and (threshold or "predetermined threshold") and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
S10 6	2	"cell loss priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:20
S10 7	3	"cell loss priority bit" and "queue" and "predetermined threshold" and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
S10 8	2	"cell loss priority bit" and "queue" and "header" and "predetermined threshold" and (received NEAR3 packet) and (discarding NEAR3 packets) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21
S10 9	3	"cell loss priority bit" and "header" and "queue" and "predetermined threshold" and (received NEAR3 packet) and @ad<"20000705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:21